



BRIGHTSMITH C O A T E R S

215.337.7100

BRIGHTSMITHCOATERS.COM

120 ENTERPRISE AVENUE

MORRISVILLE, PA 19067


COIL COATING • SLITTING

LAMINATING • EMBOSSING

PRINTING & STENCILING

Choose **BRIGHTSMITH** and let us exceed your expectations

BRIGHTSMITH Coaters is dedicated to providing our customers with quality service and materials that exceed the customers' expectations. The BRIGHTSMITH staff has over 400 combined years of coil coating experience, specializing in 2 and 3 color print systems, embossed plastisol, laminating, slitting and premium multi-coat paint systems. BRIGHTSMITH runs various substrates with gauges that range from .008 to .10 and widths from 18" to 61". Wet chemistry pre-treatment is offered as well as single coat dried in place. Choose BRIGHTSMITH for high quality, on time, pre-painted products!




COATING LINE CAPABILITIES

Single Pass Two Coat System


Interleafing | Waxing | Stenciling

Width Minimum:	24"	Steel
Width Maximum:	61"	Gauge Minimum: 0.008"
Coil I.D. In:	20", 24"	Gauge Maximum: 0.070"
Coil O.D. In:	74"	Aluminum
Coil I.D. Out:	20", 24"	Gauge Minimum: 0.014"
Coil Weight In:	30,000 lbs.	Gauge Maximum: 0.100"



SLITTING CAPABILITIES

Loopco:	60" Slitter	Steel
Weight In:	30,000 lbs.	Gauge Minimum: 0.008"
O.D. In:	72"	Gauge Maximum: 0.070"
O.D. Out:	76"	Aluminum
I.D. Out:	16", 20"	Gauge Minimum: 0.014"
Max. Width In:	60"	Gauge Maximum: 0.100"



Examples of various packaging and decorative laminates

With our new GFG Peabody Laminator, we can run laminates from 24" to 60" wide on thicknesses ranging from 3mil to 60mil. We can accept 3" to 6" I.D.s.

LAMINATING CAPABILITIES

	Roll O.D. Max.
Top	42"
Bottom	42"


	Film Width Max.	Film Width Min.
Top	60"	24"
Bottom	60"	24"

	Film Thickness Max.	Film Thickness Min.
Top	0.040"	0.001"
Bottom	0.040"	0.001"

	Tracking tol. +/- Metal To Strip
Top	+/- 1/32"
Bottom	+/- 1/32"

✓ PRINTING CAPABILITIES

2 & 3 Color Prints




Examples of various print technologies

✓ EMBOSSING CAPABILITIES

Diamond | Cedar | Stucco

Also Available:

In line embossing for plastisol and metal embossing
(Metal embossing shown)



✓ LEARN MORE



Tour our coil coating facility:
brightsmithcoaters.com

Choose BRIGHTSMITH for high quality, on-time, pre-painted products!

✓ RAIL SERVICE



With the advantage of greater weight capacities and less waste, our added rail service increases efficiency and reduces customers' costs. The environmentally friendly transportation also reduces truck traffic.

1 rail car = 4 tractor trailers

Conveniently located near two Kinder Morgan ports:
Fairless Hills, PA and Camden, NJ

Shipping and receiving capabilities


Maximum Weight by Forklift	
Eye Vertical Skidded	18,000 lbs. (Side) 12,000 lbs. (Rear)
Eye Horizontal	18,000 lbs.
Eye Horizontal Cradle Skid	18,000 lbs.

Maximum Weight by Crane	
Eye Vertical Skidded	18,000 lbs.
Eye Horizontal	30,000 lbs.
Eye Horizontal on Cradle Skid	30,000 lbs.

Methods for Loading/Unloading	
Flat Bed	Forklift & Crane
Closed Van	Forklift Only
Side Load	Forklift & Crane
Rear Load	Forklift & Crane

*BRIGHTSMITH utilizes Bulk Chemicals Wet Chemistry Pre-treatment to ensure that paint adheres to the metal, and to help with flexibility while forming.

HOW IT WORKS



BRIGHTSMITH Coaters is ISO 9001:2015 certified. By conforming to the ISO standard, we provide customers with the confidence in knowing we have established a systematic approach to quality management, and we are continuously improving our process to ensure that your needs are clearly understood and fulfilled to the highest standards.